

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	27.07.2021		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 20mm WHITE 010 25 M E01002001019925 /	M	25	7010598992

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	80	85	93	86	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A R.M. DE BARCELONA , H.6.370, F 227, T. 1.078, L 559, SEC 2ª - V.A.T. ESA08112534
CERTIFIED COMPANY: ISO 9001 / ISO 14001 / ISO 13485 / ISO TS 16949

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

SHIP TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRAY EN YVELINES - FRANCE

BILL TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRAY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	03.06.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 20mm WHITE 010 25 M E01002001019925 /	M	100	7012748980

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	89	94	91	91	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	18.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 20mm BLACK 330 25 M E01002033019925 /	M	375	7013281247

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	82	90	95	89	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

SHIP TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	05.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 25mm BLACK 330 25 M E01002533019925 /	M	325	7013207503

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	105	108	109	107	200	PASS
Combined after flame and glow time, seconds	3	4	3	3	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

SHIP TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	05.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 25mm BLACK 330 25 M E01002533019925 /	M	50	7013230829

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	93	97	90	94	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A R.M. DE BARCELONA , H.6.370, F 227, T. 1.078, L 559, SEC 2ª - V.A.T. ESA08112534
CERTIFIED COMPANY: ISO 9001 / ISO 14001 / ISO 13485 / ISO TS 16949

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

SHIP TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	08.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 30mm BLACK 330 25 M E01003033019925 /	M	125	7013263787

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	117	121	115	118	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

SHIP TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRAY EN YVELINES - FRANCE

BILL TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRAY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	20.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 50mm BLACK 330 25 M E01005033019925 /	M	100	7013283095

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	113	124	132	123	200	PASS
Combined after flame and glow time, seconds	5	8	7	7	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A R.M. DE BARCELONA , H.6.370, F 227, T. 1.078, L 559, SEC 2ª - V.A.T. ESA08112534
CERTIFIED COMPANY: ISO 9001 / ISO 14001 / ISO 13485 / ISO TS 16949

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

Date: 10.12.2024

Page: 8 of 11

SHIP TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	14.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT 100mm BLACK 330 25 M E01010033019925 /	M	100	7013263790

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	107	104	102	104	200	PASS
Combined after flame and glow time, seconds	10	11	12	11	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO**PIXC'L Sarl**

26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	07.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT 20mm BLACK 330 25 M E05802033019925 /	M	200	7013263792

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	101	119	111	110	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A R.M. DE BARCELONA , H.6.370, F 227, T. 1.078, L 559, SEC 2ª - V.A.T. ESA08112534
CERTIFIED COMPANY: ISO 9001 / ISO 14001 / ISO 13485 / ISO TS 16949

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	23.10.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT 25mm BLACK 330 25 M E05802533019925 /	M	225	7013206595

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	110	121	118	116	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - <http://www.velcro.com>

SHIP TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRAY EN YVELINES - FRANCE

BILL TO
PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRAY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
30798533	9050759	4193	22.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT 50mm BLACK 330 25 M E05805033019925 /	M	225	7013306993

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	121	126	123	123	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A R.M. DE BARCELONA , H.6.370, F 227, T. 1.078, L 559, SEC 2ª - V.A.T. ESA08112534
CERTIFIED COMPANY: ISO 9001 / ISO 14001 / ISO 13485 / ISO TS 16949