

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	27.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT PS15 25mm BLACK 330 25 M E01002533011525 /	M	100	7013304853

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	113	119	121	118	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	06.06.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT PS15 50mm BLACK 330 25 M E01005033011525 /	M	25	7012742227

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	88	95	91	91	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	28.06.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT PS15 50mm BLACK 330 25 M E01005033011525 /	M	100	7012824992

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	99	100	104	101	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO
PIXC'L Sarl
 26-28 Rue du Chemin Vert
 78610 - LE PERRY EN YVELINES - FRANCE

BILL TO
PIXC'L Sarl
 26-28 Rue du Chemin Vert
 78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	12.07.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Loop FRT PS15 50mm BLACK 330 25 M E01005033011525 /	M	50	7012855894

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	104	108	103	105	200	PASS
Combined after flame and glow time, seconds	8	5	9	7	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	18.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT PS15 25mm BLACK 330 25 M E05802533011525 /	M	25	7013260537

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	75	70	77	74	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	26.11.2024		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT PS15 25mm BLACK 330 25 M E05802533011525 /	M	75	7013314811

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	82	80	87	83	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	09.01.2025		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT PS15 50mm BLACK 330 25 M E05805033011525 /	M	50	7013400522

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	125	117	115	119	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**

VELCRO EUROPE, S.A

Ctra. Mataró a Granollers, km. 5,8
08310 ARGENTONA (Barcelona) Spain
Phone: (+34) 93 758 32 98 - Fax: (+34) 93 396 98 20
infovesa@velcro.com / cs_emea@velcro.com - http://www.velcro.com

SHIP TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

BILL TO

PIXC'L Sarl
26-28 Rue du Chemin Vert
78610 - LE PERRY EN YVELINES - FRANCE

CUSTOMER No.	TAX ID.	SUPPLIER No.	SALES PERSON	SERVICE CONTACT	E-MAIL
197806	FR49494025539		Jacquemain, Emmanuel	Odile Taupin	otaupin@velcro.com
DELIVERY	ORDER NUMBER	CUSTOMER PO	TEST DATE		
31200825	9051883	4319	24.01.2025		

DESCRIPTION	UoM	QTY. SHIPPED	BATCH NUMBER
VELCRO® Brand Hook FRT PS15 50mm BLACK 330 25 M E05805033011525 /	M	225	7013499686

Material tested according federal aviation regulations 25853 (a) App. F, Part 1, (a) (1) (ii) (b) (1) (2) (3) (4) (8). CS 25.853 (a) appendix F1(A)(1) (amdt 27)

CHARACTERISTIC	SPECIMEN N°			MEAN RESULT	SPECIFICATION REQUIREMENT (NOT EXCEEDING)	COMPLIANCE
	1	2	3			
Burn Length mm.	65	60	61	62	200	PASS
Combined after flame and glow time, seconds	0	0	0	0	15	PASS
Flaming time of drips, seconds	0	0	0	0	5	PASS

Work Instruction 501-ANNEX-C

The test has been done at tape width. Samples selected randomly of the order. The results only affect to the samples tested in this order.

This report is issued by electronic data processor and therefore carries no signature.

All documents managed by the software "GESDOC" are submitted to a controlled documentation system. Any printed copy should be considered immediately obsolete with the exception of the "controlled copy". The content of this document should be considered confidential and for internal use only. This report should be not reproduced partially without the written authorization of **VELCRO EUROPE, S.A**